

2013 Air Quality Progress Report for Harborough District Council

In fulfilment of Part IV of the Environment Act 1995 Local Air Quality Management

Date June 2013

| Local Authority Officer | Gareth Rees |
|-------------------------|--|
| Department | Regulatory Services |
| Address | Council Offices Adam and Eve Street Market Harborough LE16 7AG |
| Telephone | 01858 821174 |
| E-mail | airquality@harborough.gov.uk |
| Report Reference number | 2013 AQPR |
| Date | June 2013 |

Executive Summary

Under Part IV of the Environment Act 1995 there is a requirement for all Local Authorities to assess their local air quality and to predict future conditions against the National Air Quality Standards.

This report has been compiled as part of the forth round of the air quality assessment for Harborough District Council. The Progress Report has been carried out in accordance with the requirements of the DEFRA guidance LAQM.TG(09) [9].

Progress Reports are intended to maintain continuity in the LAQM process, and fill in the gaps between the three-yearly cycle of Review and Assessment. Progress Reports are required in all years when the authority is not completing an Updating and Screening Assessment.

The report has found that:

- · Air quality in the district is generally within the Air Quality Standard
- That there are exceedences of the air quality standard in and around the Lutterworth AQMA.

Table of contents

| EXEC | CUTIVE SL | JMMARY | <u> </u> |
|----------|---------------|--|----------|
| TABL | E OF CON | ITENTS | III |
| | LIST C | DF APPENDICES | IV |
| | LIST C | DF TABLES | IV |
| | LIST C | OF FIGURES | IV |
| <u>1</u> | INTROD | DUCTION | 1 |
| | 1.1 | DESCRIPTION OF LOCAL AUTHORITY AREA | 1 |
| | 1.2 | Purpose of Progress Report | 4 |
| | 1.3 | AIR QUALITY STANDARDS (AQS) | 4 |
| | 1.4 | SUMMARY OF PREVIOUS REVIEW AND ASSESSMENTS | 5 |
| <u>2</u> | DATA H | ANDLING AND MODELLING | 9 |
| | 2.1 | FAÇADE CORRECTION | 9 |
| | 2.2 | Annualisation | 10 |
| <u>3</u> | NEW M | ONITORING DATA | 11 |
| | 3.1 | SUMMARY OF MONITORING UNDERTAKEN | 11 |
| | 3.2 | COMPARISON OF MONITORING RESULTS WITH AIR QUALITY OBJE | CTIVES |
| | | | 16 |
| | 3.3 | SUMMARY OF COMPLIANCE WITH AQS OBJECTIVES | 21 |
| <u>4</u> | NEW LC | OCAL DEVELOPMENTS | 22 |
| | 4.1 | Road Traffic Sources | 22 |
| | 4.2 | Other Transport Sources | 22 |
| | 4.3 | Industrial Sources | 22 |
| | 4.4 | COMMERCIAL AND DOMESTIC SOURCES | 22 |
| | 4.5 | New Developments with Fugitive or Uncontrolled Source | ES 22 |
| <u>5</u> | LOCAL | / REGIONAL AIR QUALITY STRATEGY | 23 |
| <u>6</u> | <u>PLANNI</u> | NG APPLICATIONS | 23 |
| 7 | AIR QU | ALITY PLANNING POLICIES | 23 |

| <u>8</u> | LOCAL | TRANSPORT PLANS AND STRATEGIES | 23 |
|-----------|----------|--|---------|
| <u>9</u> | CLIMAT | E CHANGE STRATEGIES | 24 |
| <u>10</u> | IMPLEM | IENTATION OF ACTION PLANS | 24 |
| <u>11</u> | CONCLU | USIONS AND PROPOSED ACTIONS | 24 |
| | 11.1 | CONCLUSIONS FROM NEW MONITORING DATA | 24 |
| | 11.2 | PROPOSED ACTIONS | 24 |
| <u>12</u> | REFERE | ENCES | 25 |
| | 12.1 | LEGISLATION AND STATUTORY INSTRUMENTS | 25 |
| | 12.2 | British Standards | 26 |
| | 12.3 | TECHNICAL GUIDANCE | 26 |
| | 12.4 | PREVIOUS AIR QUALITY REPORTS | 26 |
| | 12.5 | OTHER DOCUMENTS | 29 |
| | 12.6 | MODELS | 31 |
| List | of App | pendices | |
| No ta | able of | figures entries found.List of Tables | |
| Table 1 | . Air Qu | uality Standards (AQS) included in Regulations for the purpos | se of |
| | Local | Air Quality Management in England | 5 |
| Table 2 | . Detail | s of Automatic Monitoring Sites | 11 |
| Table 3 | . Detail | s of Non- Automatic Monitoring Sites | 14 |
| Table 4 | . Resul | ts of Automatic Monitoring of Nitrogen Dioxide: Comparison v | with |
| | Annua | al Mean Objective of 40µgm ⁻³ | 16 |
| Table 5 | . Resul | ts of Automatic Monitoring for Nitrogen Dioxide: Comparison | with 1- |
| | hour r | nean Objective | 16 |
| Table 6 | . Resul | ts of Nitrogen Dioxide Diffusion Tubes in 2011 | 18 |
| Table 7 | . Resul | ts of Nitrogen Dioxide Diffusion Tubes (2005 to 2011) | 19 |
| List | of Fig | ures | |
| Figure. | 1. Map c | of the Local Authority Area | 3 |
| Figure. | 2. Map c | of AQMA Boundary | 8 |
| Figure. | 3. Box 2 | .3: Predicting nitrogen dioxide concentrations at different dist | ances |
| | from r | road of the technical guidance [9] | q |

| Figure. 4. | Estimation of annual mean concentrations from short-term monitoring da | ata |
|------------|--|-----|
| | | 10 |
| Figure. 5. | Map of AURN Automatic Monitoring Site | 12 |
| Figure. 6. | Map of Non-Automatic Monitoring Sites | 15 |
| Figure. 7. | Trends in Annual Mean Nitrogen Dioxide Concentrations measured at | |
| | Automatic Monitoring Site Eyebrook Reservoir | 17 |
| Figure. 8. | Trends in Annual Mean Nitrogen Dioxide Concentrations measured at | |
| | Diffusion Tube Monitoring Sites | 20 |

1 Introduction

1.1 Description of Local Authority Area

Harborough District Council is a diverse, largely rural authority covering approximately 590 Km² (230 mi²) of Southern Leicestershire, as shown in Figure. 1. Geographically it is the largest of the Leicestershire districts. Approximately 85,382 people (Census 2011 by The Office for National Statistics [38]) live within the District.

The two major population centres are the market towns of Market Harborough and Lutterworth, providing the main shopping and business services. These two towns, together with the villages of Thurnby, Bushby and Scraptoft adjoining Leicester City, and the villages of Broughton Astley, Great Glen, Kibworth and Fleckney accommodate 67% of the district population. The remaining residents live in villages varying from populations of several hundreds to hamlets comprising of a handful of dwellings.

The District borders on to the suburbs of Leicester to the north, Rutland to the east, Warwickshire to the west and Northamptonshire to the south.

Located at the heart of England, Harborough District has excellent transport links. The M1, M6 "Catthorpe" interchange connects Harborough District to Felixstowe, Birmingham, London and Edinburgh. The M1 and M6 and A14 are all identified on the Trans-European Network. The A5, A6, A5199 and A47 also run through the district which are a major part of the East Midlands road network and consequently are heavily used.


The Midland Main Line railway runs through the district and Market Harborough has an Inter-City station with direct links to London St. Pancras.

These good transport links have encouraged a number of industrial estates to develop, containing medium sized businesses carrying out a range of coating and spraying activities, moulding, and timber processes.

In the south west of the District there is a cluster of mineral activities including sand and gravel extraction, cement batching plants and other associated products.

Although agriculture still plays an important role in the local economy, manufacturing and distribution are of ever increasing importance. At the extreme western side of the District is Magna Park, which is a major warehousing and distribution site, covering approximately 2.3Km^2 (0.9 square miles). A number of the major manufacturers within the UK are located on this site and the 24-hour operation results in a great deal of traffic as most of the products are transported by road. Magna Park is located between the M1 and the A5, therefore a majority of the traffic is directed onto these major roads; however the nearby town of Lutterworth is affected by the increase in road traffic.

Figure. 1. Map of the Local Authority Area



1.2 Purpose of Progress Report

This report fulfils the requirements of the Local Air Quality Management process as set out in Part IV of the Environment Act (1995), the Air Quality Strategy for England, Scotland, Wales and Northern Ireland 2007 and the relevant Policy and Technical Guidance documents. The LAQM process places an obligation on all local authorities to regularly review and assess air quality in their areas, and to determine whether or not the air quality objectives are likely to be achieved. Where exceedences are considered likely, the local authority must then declare an Air Quality Management Area (AQMA) and prepare an Air Quality Action Plan (AQAP) setting out the measures it intends to put in place in pursuit of the objectives.

Progress Reports are required in the intervening years between the threeyearly Updating and Screening Assessment reports. Their purpose is to maintain continuity in the Local Air Quality Management process.

They are not intended to be as detailed as Updating and Screening Assessment Reports, or to require as much effort. However, if the Progress Report identifies the risk of exceedence of an Air Quality Objective, the Local Authority (LA) should undertake a Detailed Assessment immediately, and not wait until the next round of Review and Assessment.

1.3 Air Quality Standards (AQS)

The air quality objectives applicable to Local Air Quality Management (LAQM) in England are set out in:

- the Air Quality (England) Regulations 2000 (SI2000/No.0928)[2],
- the Air Quality (England) (Amendment) Regulations 2002 (SI2002/No.3043)[3],
- The Air Quality Standards Regulations 2007 (SI2007/No.0064)[4], and
- The Air Quality Standards Regulations 2010 (SI2010/No.1001)[5]. They are shown in Table 1 which includes the number of permitted exceedences in any given year (where applicable).

| Table 1. Air Quality Standards (AQS) included in Regulations for the purpose of Local Air Quality Management in England. | | | | | | | | |
|--|--|---------------------|---------------------|--|--|--|--|--|
| Pollutant | Concentration | Measured as | Date to be achieved | | | | | |
| Benzene | 16.25 μgm ⁻³ | Running annual mean | 2003 | | | | | |
| Denzene | 5.00 μgm ⁻³ | Running annual mean | 2010 | | | | | |
| 1,3- Butadiene | 2.25 μgm ⁻³ | Running annual mean | 2003 | | | | | |
| Carbon monoxide | 10.0 mgm ⁻³ | Running 8-hour mean | 2003 | | | | | |
| 1 | 0.5 μgm ⁻³ | Annual mean | 2004 | | | | | |
| Lead | 0.25 μgm ⁻³ | Annual mean | 2008 | | | | | |
| Nitrogen | 200 µgm ⁻³ not to be exceeded more than 18 times a year | 1-hour mean | 2005 | | | | | |
| dioxide | 40 μgm ⁻³ | Annual mean | 2005 | | | | | |
| Particles (PM ₁₀) | 50 μgm ⁻³ , not to be exceeded more than 35 times a year | 24-hour mean | 2004 | | | | | |
| (gravimetric) | 40 μgm ⁻³ | Annual mean | 2004 | | | | | |
| | 350 µgm ⁻³ , not to be exceeded more than 24 times a year | 1-hour mean | 2004 | | | | | |
| Sulphur dioxide | 125 µgm ⁻³ , not to be exceeded more than 3 times a year | 24-hour mean | 2004 | | | | | |
| | 266 µgm ⁻³ , not to be exceeded more than 35 times a year | 15-minute mean | 2005 | | | | | |

1.4 Summary of Previous Review and Assessments

The Review and Assessment of the local air quality takes place over a number of stages. The First Stage Review and Assessment [27] carried out in Harborough district concluded that further investigation would be required for Carbon Monoxide, Lead, Particulates and Nitrogen Dioxide. The Second and Third Stage review [26] concluded that with the exception of Nitrogen Dioxide all of the National Air Quality Standards would be met within the appropriate time frame. As it was anticipated that the national objective for Nitrogen Dioxide was unlikely to be met in Lutterworth Town Centre, an Air Quality Management Area (AQMA) was declared in July 2001.[6] See Figure. 2 for a map of the AQMA.

Following the declaration of the Air Quality Management Area a Stage 4 assessment [22] was required to give the council the opportunity to supplement any information already gathered in earlier review and assessment work.

The findings of the Stage 4 assessment confirmed that the annual average National Air Quality Objective for Nitrogen Dioxide was unlikely to be achieved. New Monitoring Data confirmed the source of the problem was traffic related, and an Action Plan [23] was developed which was incorporated into the second Leicestershire County Council Local Transport Plan which ran from 2006 to 2011.

In 2009 the Council undertook an update and screening assessment [17] which found that generally the air quality in Harborough district is very good; however the air quality in Lutterworth remains high and exceeds the national air quality objective. During 2008 it became apparent that the diffusion tubes in the area were showing a potential exceedence of the objective levels outside of the existing Air Quality Management Area (AQMA). It was necessary to relocate some of the diffusion tubes to confirm the initial findings, and was recommended that a detailed assessment of Lutterworth High Street would be required to confirm whether the existing AQMA needed to be extended.


A detailed assessment of Lutterworth was conducted in 2010 [12]. The assessment found that the AQMA did not require extension to the north of the currently declared area but that the air quality standard was being exceeded to the south of the currently declared area. In order to improve the data for the further assessment of the proposed extension to the AQMA it was necessary for several NO₂ diffusion tubes to be relocated.

A Further Assessment was undertaken in 2012. The Further Assessment assessed the area to the south of the AQMA as amended following the Detailed Assessment and also looked at source apportionment. The assessment found that the area south of the Amended AQMA is exceeding the Annual Mean Air Quality Standard for NO2 and requires

amendment. It also found that (based on Annual Average Daily Traffic Flow (AADT) data):

- There are ~15000 vehicle movements through the AQMA on a daily basis.
- Approximately 85% of these movements are made by cars, 6% are made by Heavy Goods Vehicles (HGVs), and 8% are made by Light Goods Vehicles (LGVs). The remainder of movements are made by buses and motorcycles.

Figure. 2. Map of AQMA Boundary



2 Data handling and modelling

2.1 **Façade Correction**

Some diffusion tubes have undergone a façade correction (presented in 3.2.1.2) the corrections were undertaken using the procedure outlined in Box 2.3: Predicting nitrogen dioxide concentrations at different distances from road of the technical guidance [9] (reproduced in Figure. 3 for reference).

Figure. 3. Box 2.3: Predicting nitrogen dioxide concentrations at different distances from road of the technical guidance [9]

Box 2.3: Predicting nitrogen dioxide concentrations at different distances from roads

A method has been developed to allow NO₂ measurements made at one distance from a road to be used to predict concentrations at a different distance from the same road. It is appropriate for distances between 0.1 m and 140 m of the kerb.

Identify the local background concentration in µgm⁻³, either from local monitoring or from the national maps published at www.airquality.co.uk. (Note that the background concentration must be less than the measured concentration).

Step 2: apply the following calculation

$$C_z = \left(\frac{C_y - C_b}{-0.5476 \times Ln(D_y) + 2.7171}\right) \times \left(-0.5476 \times Ln(D_z) + 2.7171\right) + C_b$$

Where:

C_z C_y C_b is the total predicted concentration (μgm^{-3}) at distance D_z ; is the total measured concentration (μgm^{-3}) at distance D_v ;

is the background concentration (µgm⁻³);

is the distance from the kerb at which concentrations were measured; and

is the distance from the kerb (m) at which concentrations are to be predicted.

Ln(D) is the natural log of the number D.

Results derived in this way will have a greater uncertainty than the measured data. Further assistance with this procedure and interpretation of the results can be obtained from the Review and Assessment helpdesk (www.uwe.ac.uk/aqm/review).

Calculator

The equation above is available as a simple calculator (available at http://www.airquality.co.uk/archive/ lagm/tools.php) . This is set up to work from 0.1 to 50 m from the

kerb, as this is the range that is likely to be relevant for Local Air Quality Management (LAQM) work. Kerbside sites should be treated as being at 0.1 m from the kerb. The calculator works for receptors either closer to or further from the kerb than the monitor. The greater the distance between the receptor and monitor, the greater the uncertainty in the derived receptor concentration. It is therefore recommended that if the receptor is further from the kerb than the monitor it should be no more than 20 m away. If the receptor is closer to the kerb, then it should be no more than 10 m from the monitor.

Modified from Box 2.3 page 2-6 of the technical Guidance 2009 [9] (modification are improved layout of equation and insertion of hyperlinks where footnotes are present in the original.

2.2 Annualisation

Where data does not cover the whole year it is possible to estimate the annual mean using the method in Box 3.2 Estimation of annual mean concentrations from short-term monitoring data of the technical guidance [9] (reproduced in Figure. 4 for reference).

Figure. 4. Estimation of annual mean concentrations from short-term monitoring data

Box 3.2: Estimation of annual mean concentrations from short-term monitoring data

Example

It has only been possible to carry out a monitoring survey (automatic or diffusion tube) at site **S** for six months between July and December 2008. The measured mean concentration **M** for this period is 30.2µgm⁻³. How can this be used to estimate the annual mean for this location?

Adjustment to estimate annual mean

The adjustment is based on the fact that patterns in pollutant concentrations usually affect a wide region. Thus if a six month period is above average at one place it will almost certainly be above average at other locations in the region. The adjustment procedure is as follows:

- 1. Identify two to four nearby, long-term, continuous monitoring sites, ideally those forming part of the national network. These should be background sites to avoid any very local effects that may occur at roadside sites, and should, wherever possible lie within a radius of about 50 miles.
- 2. Obtain the annual means, Am, for the calendar year for these sites, 2008 in this example.
- 3. Work out the period means, **Pm**, for the period of interest, in this case July to December 2008. [It may be necessary to use unratified automatic data.]
- 4. Calculate the ratio, **R**, of the annual mean to the period mean $\left(\frac{Am}{Pm}\right)$ for each of the sites.
- 5. Calculate the average of these ratios, R_a . This is then the adjustment factor.
- 6. Multiply the measured period mean concentration \mathbf{M} by this adjustment factor $\mathbf{R}_{\mathbf{a}}$ to give the estimate of the annual mean for 2008.

| Long term site | Annual mean 2008 (Am) | Period Mean 2008 (Pm) | Ratio $\left(\frac{Am}{Pm}\right)$ |
|-------------------|--------------------------|--------------------------|------------------------------------|
| Α | 28.6 | 29.7 | 0.963 |
| В | 22.0 | 22.8 | 0.965 |
| С | 26.9 | 28.9 | 0.931 |
| D | 23.7 | 25.9 | 0.915 |
| | 0.944 | | |

For this example the best estimate of the annual mean for site **S** in 2008 will be $S = M \times R_a$ $= 30.2 \times 0.944$ $= 28.5 \, \mu gm^{-3}$

Notes

- Monitoring data for the long-term sites must have adequate data capture rates: above 90% is preferable; sites with data capture below 75% should not be used.
- It may be appropriate to use diffusion tube results from a long-term survey to adjust short-term
 diffusion tube results. To allow for the greater uncertainty of diffusion tubes results from four or
 more sites should be used. Ensure that the tubes are from the same supplier using the same
 method of preparation.
- If the short-term period covers, for instance, February to June 2009, and the work is being carried out in August 2009, then an annual mean for 2009 will not be available. The calculation can then be carried out using the ratio to the 2008 annual mean, but the result is then an estimate of the 2008 annual mean at the short-term site.

Modified from Box 3.2 page 3-4 of the technical Guidance 2009 [9].

3 New Monitoring Data

3.1 Summary of Monitoring Undertaken

3.1.1 Automatic Monitoring Sites


The council does not currently operate any automatic monitoring stations.

Bureau Veritas currently operate an AURN site on behalf of DEFRA near to Eye Brook Reservoir (Figure. 5). This site monitors for nitrogen dioxide, carbon monoxide and ozone. Details of the site can be found at http://uk-air.defra.gov.uk/networks/site-info?uka_id=UKA00463 (correct 21/03/2013).

Table 2. Details of Automatic Monitoring Sites

| Site ID | | 1 | | | | |
|---------------------------------|------------------------------------|-----------------------------|-----------------|---------|--|--|
| Site Name | | Market Harborough AURN site | | | | |
| Site Type | | | Rural | | | |
| OS Grid Ref | X | | 483335 | | | |
| OO ONG IXO | Y | 295896 | | | | |
| Pollutants Mon | itored | NO | NO ₂ | Ozone | | |
| Monitoring Tec | hnique | unknown | unknown | unknown | | |
| In AQMA ? | | No | | | | |
| Relevant Expos | sure? (Y/N with distance exposure) | N/A | | | | |
| Distance to ker not applicable) | b of nearest road (N/A if | N/A | | | | |
| Does this locati exposure? | ion represent worst-case | N/A | | | | |

Figure. 5. Map of AURN Automatic Monitoring Site



3.1.2 Non-Automatic Monitoring Sites


As part of the assessment of the local air quality, a number of diffusion tubes are located throughout the district. These tubes are a simple and cost effective method for screening air quality and provide a good indication of the annual average levels of Nitrogen Dioxide

The diffusion tube supplied and analysed by Lambeth Scientific services by spiking with 50% triethanolamine (TEA) in acetone.

The DEFRA Review and assessment helpdesk National Diffusion Tube Bias Adjustment Factor Spreadsheet 03/2013 [36] has data for Lambeth Scientific Services in 2012 the average Bias adjustment for 2012 is 0.91 Table 3. Details of Non- Automatic Monitoring Sites

| Site ID | location | | Grid Refer | Our Tube N | Pollutants Monitored | In AQMA? | Relevant Exposure? with distance (m) to relevant exposure) | Distance to kerb nearest road (m) not applicable) | Worst-case | |
|------------|---------------------------------------|------------------|------------|------------|----------------------|-----------------|--|---|--|-----------|
| | | Site Type | X | Y | No. | Vlonitored | | vant Exposure? (Y/N distance (m) to ant exposure) | Distance to kerb of nearest road (m) (N/A if not applicable) | Location? |
| 01n | Lutterworth Service Shop | Roadside | 454475 | 284560 | 2 | NO ₂ | Υ | 0 | 4.2 | Υ |
| 03n | Brooklands (Home) | Urban background | 473418 | 286956 | 3 | NO ₂ | Ν | N/A | N/A | Υ |
| 09n | Maxwell Way | Roadside | 454376 | 285981 | 8 | NO ₂ | Ν | 11.1 | 1.2 | Υ |
| 11n | Day Nursery | Roadside | 454539 | 284932 | 10 | NO ₂ | Ν | 9 | 1.3 | Ν |
| 12n | A6 Kibworth | Roadside | 468425 | 294314 | 11 | NO ₂ | Ν | 10.7 | 1.3 | Υ |
| 13n | Rockingham Road | Roadside | 474731 | 287585 | 12 | NO ₂ | Ν | 9 | 2.8 | Υ |
| 16n | Walcote | Roadside | 456810 | 283652 | 15 | NO ₂ | Ν | 12.5 | 3 | Υ |
| 17n | The Square | Roadside | 473373 | 287231 | 16 | NO ₂ | Ν | 2.5 | 3 | Υ |
| 18n | Jazz Hair | Roadside | 454443 | 284348 | 17 | NO ₂ | Ν | 0 | 3 | Υ |
| 19n | Wistow Rd Kibworth | Roadside | 467739 | 294611 | 14 | NO ₂ | Ν | 2.5 | 5.4 | Υ |
| 22n | 77 Leicester road Lutterworth | Roadside | 454533 | 284872 | 9 | NO ₂ | Ν | 0 | 13.5 | Υ |
| 23n | 6 The Terrace Rugby Road | Roadside | 454428 | 284274 | 1 | NO ₂ | Ν | 0 | 2.5 | Υ |
| 24n | 4-9 regent court | Roadside | 454410 | 284326 | 4 | NO ₂ | Ν | 0 | 16.25 | Υ |
| 25n | 26 Market Street Lutterworth | Roadside | 454497 | 284618 | 5 | NO ₂ | Υ | 1.6 | 4.8 | Υ |
| 26n | 24 Rugby Road Lutterworth | Roadside | 454432 | 284229 | 13 | NO ₂ | Ν | 0 | 2 | Υ |
| 27n | 17 Rugby road Lutterworth | Roadside | 454476 | 284178 | 7 | NO ₂ | Ν | 3.7 | 5.2 | Υ |
| 28n | Spencerdene main street theddingworth | Roadside | 466535 | 285545 | 18 | NO ₂ | N | 1.2 | 0.2 | N |
| 29n | Homeside main street Theddingworth | Roadside | 466651 | 285607 | 6 | NO ₂ | Ν | 0.2 | 1.4 | Υ |

Figure. 6. Map of Non-Automatic Monitoring Sites



3.2 Comparison of Monitoring Results with Air Quality **Objectives**

Nitrogen Dioxide (NO₂) 3.2.1

3.2.1.1 **Automatic Monitoring Data**

Results of Automatic Monitoring of Nitrogen Dioxide: Comparison with Annual Mean Table 4. Objective of 40µam⁻³

| Objective of Hought | | | | | | | |
|--|---------|-----------------------------|--|--|--|--|--|
| Site ID | | 1 | | | | | |
| Site Name | | Market Harborough AURN site | | | | | |
| Site Type | | Rural | | | | | |
| Within AQMA? | | N | | | | | |
| Valid Data Capture for period of monitoring %a | | 94.96% | | | | | |
| Valid Data Capture 2012 % b | | 94.96% | | | | | |
| | 2007*c | 11.57 | | | | | |
| | 2008* c | 10.80 | | | | | |
| Annual Mean Concentration | 2009* c | 11.98 | | | | | |
| µgm ⁻³ | 2010* c | 11.74 | | | | | |
| | 2011 c | 9.27 | | | | | |
| | 2012 c | 25.2 | | | | | |

bi.e. data capture for the full calendar year (e.g. if monitoring was carried out for six months the maximum data capture for the full calendar year would be 50%.)

^c Means should be "annualised" as in Box 3.2 of TG(09), if monitoring was not carried out for the full year.

Table 5. Results of Automatic Monitoring for Nitrogen Dioxide: Comparison with 1-hour mean Objective

| Site ID | | 1 | | | | |
|--|---------------|-----------------------------|--|--|--|--|
| Site Name | | Market Harborough AURN site | | | | |
| Site Type | | Rural | | | | |
| Within AQMA? | | N | | | | |
| Valid Data Capture for period of monitoring %a | | 94.96% | | | | |
| Valid Data Cap | ture 2011 % b | 94.96% | | | | |
| | 2007*c | 0 | | | | |
| Number of | 2008* c | 0 | | | | |
| Exceedences | 2009* c | 0 | | | | |
| of Hourly Mean (200 | 2010* c | 0 | | | | |
| µgm ⁻³) | 2011 c | 0 | | | | |
| | 2012 c | 0 | | | | |

^{*}Annual mean concentrations for previous years are optional.


^a i.e. data capture for the monitoring period, in cases where monitoring was only carried out for part of the year.
^b i.e. data capture for the full calendar year (e.g. if monitoring was carried out for six months the maximum data capture for the full calendar year would be 50%.)

^c If the period of valid data is less than 90%, include the 99.8th percentile of hourly means in brackets

^{*}Number of exceedences for previous years are optional.

Figure. 7. Trends in Annual Mean Nitrogen Dioxide Concentrations measured at Automatic Monitoring Site Eyebrook Reservoir

Automatic monitoring AURN Site Eyebrook Reservoir Annual trends Nitrogen dioxide



3.2.1.2 Diffusion Tube Monitoring Data

Table 6. Results of Nitrogen Dioxide Diffusion Tubes in 2011

| INCOURS OF IN | trogen Dioxide Diffusion Tubes in 2 | 011 | | | | | | |
|---------------|-------------------------------------|------------------|--------------|----------------------------------|---------------------------------------|---|---|--------------------------|
| Site ID | Location | Site Type | Within AQMA? | Triplicate or Collocated Tube | Data Capture 2011 (%) ^a | Data with less than 9 months has been annualised (Y/N) ^b | Annual mean concentration (BAF = 0.91) ^{b, c, d, e,} | Façade corrected data |
| 01n | Lutterworth Service Shop | Roadside | Υ | N | 83.3% | N | 59.36 | |
| 03n | Brooklands (Home) | Urban background | N | N | 91.7% | N | 21.68 | |
| 09n | Maxwell Way | Roadside | N | N | 91.7% | N | 31.13 | 21.60 |
| 11n | Day Nursery | Roadside | N | N | 83.3% | N | 42.40 | 27.99 |
| 12n | A6 Kibworth | Roadside | N | N | 83.3% | N | 39.22 | 24.67 |
| 13n | Rockingham Road | Roadside | Ν | N | 91.7% | N | 32.28 | 24.61 |
| 16n | Walcote | Roadside | Ν | N | 100.0% | N | 29.86 | 23.17 |
| 17n | The Square | Roadside | Ν | N | 75.0% | N | 35.33 | 27.87 |
| 18n | Jazz Hair | Roadside | Υ | N | 91.7% | N | 52.81 | |
| 19n | Wistow Rd Kibworth | Roadside | N | N | 100.0% | N | 28.89 | 22.25 |
| 22n | 77 Leicester road Lutterworth | Roadside | N | N | 100.0% | N | 27.12 | |
| 23n | 6 The Terrace Rugby Road | Roadside | Υ | N | 100.0% | N | 38.34 | |
| 24n | 4-9 regent court | Roadside | Υ | N | 100.0% | N | 62.63 | |
| 25n | 26 Market Street Lutterworth | Roadside | Υ | N | 83.3% | N | 37.84 | 31.20 |
| 26n | 24 Rugby Road Lutterworth | Roadside | N | N | 100.0% | N | 50.97 | |
| 27n | 17 Rugby road Lutterworth | Roadside | N | N | 91.7% | N | 41.24 | 32.37 |
| 28n | Spencerdene main st Thed | Roadside | N | N | 91.7% | Υ | 28.43 | 20.55 |
| 29n | Homeside main st Thed | Roadside | N | N | 91.7% | Υ | 37.87 | 31.90 |

a. i.e. data capture for the full calendar year (e.g. if monitoring was carried out for six months the maximum data capture for the full calendar year would be 50%.)

[.] Means should be "annualised" as in Box 3.2 of TG(09) pg3-4, if monitoring was not carried out for the full year. Annualised data highlighted in green (see Error! Reference source not found. for calculations)

c. Values exceeding the AQ objective are shown in red

d. Values exceeding 36 µgm⁻³ (1 standard deviation below the AQ objective) are shown in Blue.

e. BAF is Bias Adjustment Factor .

Table 7. Results of Nitrogen Dioxide Diffusion Tubes (2005 to 2011)

| | | Within | for p | Data for ful year | Annual mean concentrations (µgm ⁻³) c, d, e, f, g | | | | | | | |
|------------------------|-------------------------------|--------|---|---|---|------------|------------|------------|------------|------------|------------|------------|
| Cita ID | Landin | | ata Ca or moni period | Data C or full c year 20 | 2005 | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 |
| Site ID | Location | AQMA? | Data Capture for monitoring period ^a % | Data Capture for full calendar year 2011 b% | BAF = 0.81 | BAF = 0.87 | BAF = 0.90 | BAF = 0.83 | BAF = 1.02 | BAF = 1.06 | BAF = 1.06 | BAF = 0.91 |
| 82705- Harborough 01n | Lutterworth Service Shop | Υ | 100% | 100% | 48.24 | 55.13 | 55.20 | 50.03 | 51.75 | 58.04 | 49.47 | 59.36 |
| 82708- Harborough 03n | Brooklands (Home) | Ν | 92% | 92% | 17.08 | 15.98 | 20.86 | 14.94 | 17.48 | 22.45 | 18.41 | 21.68 |
| 84433- Harborough 09n | Maxwell Way | Ν | 100% | 100% | 24.38 | 26.39 | 27.98 | 27.74 | 28.23 | 32.24 | 25.53 | 31.13 |
| 84435- Harborough 11n | Day Nursery | Ν | 100% | 100% | 43.84 | 47.68 | 44.40 | 48.62 | 31.80 | 28.80 | 26.15 | 42.40 |
| 84440- Harborough 12n | A6 Kibworth | Ν | 100% | 100% | 36.94 | 35.09 | 42.00 | 37.97 | 43.11 | 47.79 | 40.55 | 39.22 |
| 84441- Harborough 13n | Rockingham Road | Ν | 100% | 100% | 26.46 | 29.00 | 33.38 | 35.69 | 37.65 | 42.67 | 37.10 | 32.28 |
| 84444- Harborough 16n | Walcote | Ν | 100% | 100% | 26.01 | 24.99 | 29.88 | 28.07 | 28.17 | 31.98 | 28.97 | 29.86 |
| 84446- Harborough 17n | The Square | Ν | 75% | 75% | 29.84 | 27.55 | 33.75 | 30.34 | 33.81 | 34.45 | 28.15 | 35.33 |
| 84448- Harborough 18n | Jazz Hair | N | 83% | 83% | 41.72 | 44.54 | 51.68 | 48.90 | 46.72 | 52.33 | 45.16 | 52.81 |
| 86155- Harborough 19n | Wistow Rd Kibworth | Ν | 92% | 92% | | | | 25.59 | 22.75 | 26.77 | 23.99 | 28.89 |
| 86383- Harborough 22n | 77 Leicester road Lutterworth | Ν | 100% | 100% | | | | 28.54 | 23.93 | 28.80 | 26.15 | 27.12 |
| 86930- Harborough 23n | 6 The Terrace Rugby Road | N | 92% | 92% | | | | | | 41.22 | 37.49 | 38.34 |
| 86931- Harborough 24n | 4-9 regent court | N | 75% | 75% | | | | | | 29.51 | 26.62 | 62.63 |
| 86932- Harborough 25n | 26 Market Street Lutterworth | Υ | 83% | 83% | | | | | | 43.41 | 35.83 | 37.84 |
| 86933- Harborough 26n | 24 Rugby Road Lutterworth | N | 92% | 92% | | | | | | 48.09 | 49.53 | 50.97 |
| 86934- Harborough 27n | 17 Rugby road Lutterworth | N | 83% | 83% | | | | | | 43.33 | 36.78 | 41.24 |
| ????? - Harborough 28n | Spencerdene main st Thed | N | 100% | 75% | | | | | | | 21.97 | 28.43 |
| ????? - Harborough 29n | Homeside main st Thed | N | 89% | 67% | | | | | | | 30.28 | 37.87 |

i.e. data capture for the monitoring period, in cases where monitoring was only carried out for part of the year. a.

b.

i.e. data capture for the full calendar year (e.g. if monitoring was carried out for six months the maximum data capture for the full calendar year would be 50%.)

Means should be "annualised" as in Box 3.2 of TG(09) pg3-4, if monitoring was not carried out for the full year. Annualised data highlighted in green (Error! Reference source not found. for calculations)

Annual mean concentrations for previous years are optional.

Values exceeding the AQ objective are shown in red


Values exceeding 36 µgm⁻³ (1 standard deviation below the AQ objective) are shown in Blue. f.

BAF is Bias Adjustment Factor

Figure. 8. Trends in Annual Mean Nitrogen Dioxide Concentrations measured at Diffusion Tube Monitoring Sites

NO₂ Diffusion tube trends (2005 to 2012)

(Annualised values used where calculated)



3.2.2 Particulate Matter (PM₁₀)

This Authority Does Not Currently Monitor for this pollutant

3.2.3 Sulphur Dioxide (SO₂)

This Authority Does Not Currently Monitor for this pollutant

3.2.4 Benzene

This Authority Does Not Currently Monitor for this pollutant

3.2.5 Other Pollutants Monitored

This Authority Does Not Currently Monitor for any other pollutants

3.3 Summary of Compliance with AQS Objectives

The tubes located within the currently declared AQMA and the area which has been assessed in the Further Assessment have all recorded exceedences of the annual mean AQS for NO₂.

The tube located at 4-6 regent court has exceeded 60 µgm⁻³ though this appears unusually high for this location and could be related to works conducted on the bank immediately to the south of the monitoring location. The council will continue to monitor this location encase the increased

Harborough District Council has examined the results from monitoring in the district.

Concentrations within the AQMA still exceed the annual mean standard for nitrogen dioxide and the AQMA should remain.

Concentrations outside of the AQMA are all below the objectives at relevant locations, therefore there is no need to proceed to a Detailed Assessment.

4 New Local Developments

4.1 Road Traffic Sources

There are no new roads requiring assessment

4.2 Other Transport Sources

There are no other transport sources requiring assessment

4.3 Industrial Sources

There are no new industrial sources requiring assessment

4.4 Commercial and Domestic Sources

There are no new commercial and domestic sources requiring assessment

4.5 New Developments with Fugitive or Uncontrolled Sources

There are no new

- · Landfill sites.
- Quarries.
- Unmade haulage roads on industrial sites.
- Waste transfer stations, etc.
- Other potential sources of fugitive particulate emissions.

requiring assessment.

Harborough District Council confirms that there are no new or newly identified local developments which may have an impact on air quality within the Local Authority area.

Harborough District Council confirms that all the following have been considered:

Road traffic sources

- Other transport sources
- Industrial sources
- Commercial and domestic sources
- New developments with fugitive or uncontrolled sources.

5 Local / Regional Air Quality Strategy

The Authority does not currently have an Air Quality Strategy and does not participate in a regional Air Quality Strategy.

6 Planning Applications

There are no planning applications awaiting approval that will effect the AQMA or air quality within the district.

7 Air Quality Planning Policies

There are currently no adopted Local Plan policies dealing specifically with air quality.

The emerging Local Development Framework (LDF) currently does not have any adopted Development Plan Documents. However work on establishing sites and/or broad areas for future developments is very likely to include an appraisal of whether the sites in question will adversely affect, or be adversely affected by, local air quality issues and whether particular types of development of a site could help address existing air quality issues.

8 Local Transport Plans and Strategies

Air quality measures for the AQMA in Lutterworth were included in LTP2 [28] however budget constraints have meant that many of these have yet to be completed. Harborough District Council is currently liaising with Leicestershire County Council for inclusion of Air quality measures relating to the AQMA in LTP3.

9 Climate Change Strategies

The council is currently in the processes of drafting its climate change strategy with the aim of publishing the completed document by April 2011. The current draft has provision for the inclusion of a section on transport and air quality.

10 Implementation of Action Plans

All Measures within the current action plan have now either been completed or deemed in appropriate as a result of the concerns of local residents and other highway concerns

This authority is currently in the progress of drafting a revised action plan in conjunction with Leicestershire county council highways due for publication for public comment in April 2013

11 Conclusions and Proposed Actions

11.1 Conclusions from New Monitoring Data

The annual mean air quality standard for NO₂ is being exceeded within the AQMA.

11.2 Proposed Actions

Publish action plan measures inline with adopted action plan framework.

12 References

12.1 Legislation and Statutory instruments

- [1] Environment Act 1995 Part IV s80 91, Ch 25. London: HMSO. Available at:
 http://www.opsi.gov.uk/acts/acts1995/ukpga_19950025_en_1
 [accessed 23rd July 2010]
- [2] Air Quality (England) Regulations 2000 (SI2000/No.0928) London: HMSO. Available at: http://www.opsi.gov.uk/si/si2000/20000928.htm [accessed 23rd July 2010]
- [3] Air Quality (England) (Amendment) Regulations 2002
 (SI2002/No.3043). London: HMSO. Available at:
 http://www.opsi.gov.uk/si/si2002/20023043.htm [accessed 23rd July 2010]
- [4] Air Quality Standards Regulations 2007 (SI2007/No.0064). London: HMSO. Available at http://www.opsi.gov.uk/si/si2007/uksi_20070064_en_1 [accessed 23rd July 2010]
- [5] The Air Quality Standards Regulations 2010 (SI2010/No.1001).
 London: HMSO. Available at
 http://www.opsi.gov.uk/si/si2010/uksi 20101001 en 1 [accessed
 23rd July 2010]
- [6] The Harborough District Council (Air Quality Management Area No.1)

 Order 2001. Market Harborough: Harborough District Council.

 Available at

 <a href="http://www.harborough.gov.uk/site/scripts/documents_info.php?documents_info.php.docum

12.2 British Standards

- [7] British Standards Institution, 2007. BS EN 15259:2007 Air quality. Measurement of stationary source emissions. Requirements for measurement sections and sites and for the measurement objective plan and report. Milton Keynes: BSI
- [8] British Standards Institution 2007. BS ISO 4226:2007 Air quality.

 General aspects. Units of measurement. Milton Keynes: BSI

12.3 Technical Guidance

- [9] Department for Food and Rural Affairs, 2009. Local Air Quality Management Technical Guidance LAQM.TG(09). London: Department for Food and Rural Affairs
- [10] Department for Food and Rural Affairs, 2009. Local Air Quality

 Management Policy Guidance LAQM.PG(09). London: Department
 for Food and Rural Affairs
- [11] Department for Food and Rural Affairs, 2003. Local Air Quality Management Technical Guidance LAQM.TG(03). London: Department for Food and Rural Affairs

12.4 Previous Air quality Reports

- [12] Harborough District Council, 2012. *Air Quality Further Assessment of Lutterworth AQMA 2012*. Market Harborough: Harborough District Council Available at http://www.harborough.gov.uk/site/scripts/documents_info.php?documentlD=145&pageNumber=2 [Accessed 12/06/2013]
- [13] Harborough District Council, 2012. *Air Quality Update and Screening Assessment 2012*. Market Harborough: Harborough District Council Available at http://www.harborough.gov.uk/site/scripts/documents_info.php?documentID=145&pageNumber=2 [Accessed 12/06/2013]

- [14] Harborough District Council, 2011. Air Quality Progress report 2011.
 Market Harborough: Harborough District Council Harborough
 Available at
 http://www.harborough.gov.uk/site/scripts/documents info.php?documentID=145&pageNumber=2 [Accessed 12/06/2013]
- [15] Harborough District Council, 2010. Air Quality Detailed Assessment of Leicester Road, High Street and Rugby Road Lutterworth 2010. Market Harborough: Harborough District Council.
- [16] Harborough District Council. 2010. Air Quality Progress Report 2010.
 Market Harborough: Harborough District Council. Available at
 <a href="http://www.harborough.gov.uk/site/scripts/documents_info.php?documents_info.php.documents_info.php.documents_info.php.documents_info.php.documents_info.php.documents_info.php.documents_info.php.documents_info.php.documents_info.php.documents_info.php.documents_info.php.documents_info.php.documents_info.php.documents_info.php.documents_info.php.documents_info.php.documents_info.php.documents_info.php.
- [17] Harborough District Council. 2009. *Air Quality Update and Screening Assessment 2009*. Market Harborough: Harborough District Council Available at http://www.harborough.gov.uk/site/scripts/documents_info.php?documentlD=145&pageNumber=2 [Accessed 12/06/2013]
- [18] Harborough District Council. 2008. Air Quality Progress Report 2008.
 Market Harborough: Harborough District Council Available at http://www.harborough.gov.uk/site/scripts/documents_info.php?documentlD=145&pageNumber=2 [Accessed 12/06/2013]
- [19] Harborough District Council. 2007. Air Quality Progress Report 2007. Market Harborough: Harborough District Council Available at http://www.harborough.gov.uk/site/scripts/documents_info.php?documentID=145&pageNumber=2 [Accessed 12/06/2013]
- [20] Harborough District Council. 2006. *Air Quality Update and Screening Assessment 2006*. Market Harborough: Harborough District Council Available at

 http://www.harborough.gov.uk/site/scripts/documents_info.php?documentlD=145&pageNumber=2 [Accessed 12/06/2013]

- [21] Harborough District Council. 2005. Air Quality Progress Report 2005.
 Market Harborough: Harborough District Council. Available at http://www.harborough.gov.uk/site/scripts/documents_info.php?documentlD=145&pageNumber=2 [Accessed 12/06/2013]
- [22] Harborough District Council. 2004. *Air Quality Stage 4 Report 2004*.

 Market Harborough: Harborough District Council. Available at http://www.harborough.gov.uk/site/scripts/documents_info.php?documentlD=145&pageNumber=2 [Accessed 12/06/2013]
- [23] Harborough District Council. 2004. Air Quality Action Plan 2004.
 Market Harborough: Harborough District Council. Available at
 http://www.harborough.gov.uk/site/scripts/documents_info.php?documentlD=145&pageNumber=2 [Accessed 12/06/2013]
- [24] Harborough District Council. 2004. Air Quality Progress Report 2004.
 Market Harborough: Harborough District Council. Available at http://www.harborough.gov.uk/site/scripts/documents_info.php?documentID=145&pageNumber=2 [Accessed 12/06/2013]
- [25] Harborough District Council. 2003. *Air Quality Update and Screening Assessment 2003*. Market Harborough: Harborough District Council. Available at http://www.harborough.gov.uk/site/scripts/documents_info.php?documentlD=145&pageNumber=2 [Accessed 12/06/2013]
- [26] Harborough District Council. 2001. Air Quality Stage 2 & 3 report 2001. Market Harborough: Harborough District Council. Available at http://www.harborough.gov.uk/site/scripts/documents_info.php?documentlD=145&pageNumber=2 [Accessed 12/06/2013]
- [27] Harborough District Council. 1999. Air Quality Stage 1 report 1999.Market Harborough: Harborough District Council.

12.5 Other Documents

- [28] Leicestershire County Council Highways Department. 2006.
 Leicestershire Local Transport Plan 2011 2023 (LTP2)
 Leicestershire: Leicestershire County Council. [online] Available at:
 http://www.leics.gov.uk/ltp [Accessed 12/06/2013]
- [29] Leicestershire County Council Highways Department. 2006.
 Leicestershire Local Transport Plan 2006 2011 (LTP2)
 Leicestershire: Leicestershire County Council. [online] Available at:
 http://www.leics.gov.uk/ltp [Accessed 12/06/2013]
- [30] Leicestershire County Council Highways Department. 2006.
 Leicestershire Local Transport Plan 2001 2006 (LTP 1)
 Leicestershire: Leicestershire County Council. [online] Available at:
 http://www.leics.gov.uk/ltp [Accessed 12/06/2013]
- [31] Leicestershire County Council Highways Department. 2011.

 Leicestershire County Council 2010/2011 South west Leicestershire

 Traffic Study Leicestershire: Leicestershire County Council. [online]

 Available at:

 http://www.leics.gov.uk/index/highways/transport_plans_policies/ltp/w

 hat are we doing /transport_studies.htm [Accessed 15/02/2013]
- [32] Department for Transport, 2008. *Annual Average Daily Traffic Flows*. London: Department for Transport http://www.dft.gov.uk/matrix
- [33] Department for Food and Rural Affairs. *Air Quality Archive* [online] Available at: http://www.airquality.co.uk [Accessed 23rd July 2010]
- [34] Department for Food and Rural Affairs. 2007. *The Air Quality Strategy for England, Scotland, Wales and Northern Ireland.* London: Department for Food and Rural Affairs July 2007. Cmd Paper No. 7169.

- [35] Department for Food and Rural Affairs., 2007. *National Atmospheric Emissions Inventory*.[online] Available at: http://www.naei.org.uk [accessed 23rd July 2010].
- [36] Highways Agency, 1992 (updated June 2010). Design Manual for Roads and Bridges Volume 11, Section 3 Environmental Assessment Techniques. Birmingham: Highways Agency. Available at: http://www.standardsforhighways.co.uk/dmrb/index.htm [accessed 23rd July 2010].
- [37] Department for Food and Rural Affairs, 2009. FAQ: Guidance on running the DMRB screening model. London: Department for Food and Rural Affairs available at:

 http://laqm1.defra.gov.uk/documents/DMRB_text_150409.pdf
 [accessed 23rd July 2010].
- [38] Office for National Statistics2011. *Area: Harborough (Local Authority) Population Density 2011(QS102EW)*. [Online] (updated 30th January 2013) Available at http://neighbourhood.statistics.gov.uk/dissemination/LeadTableView. do?a=3&b=6275118&c=Harborough&d=13&e=13&g=6444516&i=10 01x1003x1004&o=362&m=0&p=1&q=1&r=1&s=1360923485722&en c=1&dsFamilyId=2491[Accessed 15/02/2013].
- [39] Department for Food and Rural Affairs, 2008. *Estimated Background Air Pollution Maps for 2008 and Projections for Other Years*. [Online] Available at http://laqm1.defra.gov.uk/review/tools/background-maps-info.php?year=2008#intro [Accessed 29th July 2010].
- [40] Bureau Veritas, 2011, version 03/11. *National bias adjustment factors spreadsheet*. [Online] Available at http://laqm.defra.gov.uk/bias-adjustment-factors/national-bias.html [accessed 09/03/2011].

12.6 Models

- [41] The Highways Agency. 2007. *DMRB Screening method v1.03c*Birmingham: The Highways Agency Available at:

 http://www.highways.gov.uk/business/documents/DMRB_Screening_Method_V1.03c (12-07-07) locked.zip [accessed 23rd July 2010]
- [42] Department for Food and Rural Affairs. 2010 NO_x to NO₂ calculator. London: Department for food and Rural Affairs Available at: http://laqm1.defra.gov.uk/review/tools/monitoring/calculator.php [accessed 23rd July 2010]